



Material Safety Data Sheet

NFPA	HMIS	Personal Protective Equipment
10	Health Hazard Fire Hazard 1	
	Reactivity	See Section 15.

Section 1. Chemical Product and Company Identification		Page Number: 1		
Common Name/ Trade Name	Glycerin	Catalog Number(s).	G1012, G1013, G1015, G1016, G1040, YY221, YY776, BS650, SP653, SP149	
		CAS#	56-81-5	
Manufacturer	SPECTRUM LABORATORY PRODUCTS INC.	RTECS	MA8050000	
	14422 S. SAN PEDRO STREET GARDENA, CA 90248	TSCA	TSCA 8(b) inventory: Glycerin	
Commercial Name(s)	Not available.	CI#	Not available.	
Synonym	1,2,3-Propanetriol; Glycerol	IN CASE OF	EMEDGENCY	
Chemical Name	Glycerin		EMERGENCY C (24hr) 800-424-9300	
Chemical Family Not available.		CALL (310) 5	CALL (310) 516-8000	
Chemical Formula	C3H5(OH)3			
Supplier	SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248	•		

Section 2.Composition and Information on Ingredients						
-				Exposure Limits		
Name		CAS#	TWA (mg/m³)	STEL (mg/m³)	CEIL (mg/m³)	% by Weight
1) Glycerin		56-81-5	15			100
Toxicological Data on Ingredients ORAL (LD50): Acute: 12600 mg/kg [Rat]. 4090 mg/kg [Mouse]. DERMAL (LD50): Acute: 10000 mg/kg [Rabbit]. MIST(I C50): Acute: >570 mg/m³ 1 hours [Rat].						

Section 3. Hazards Identification

Potential Acute Health Effects Slightly hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation.

Potential Chronic Health Effects CARCINOGENIC EFFECTS: Not available.

MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

DEVELOPMENTAL TOXICITY: Not available. The substance may be toxic to kidneys.

Repeated or prolonged exposure to the substance can produce target organs damage.

Continued on Next Page

Glycerin	Page Number: 2
Section A First Aid Measures	

Section 4. First Aid Measures	
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention if irritation occurs.
Skin Contact	Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.
Serious Skin Contact	Not available.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Serious Inhalation	Not available.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.
Serious Ingestion	Not available.

Section 5. Fire and Explosion Data		
Flammability of the Product	May be combustible at high temperature.	
Auto-Ignition Temperature	370°C (698°F)(NFPA Fire Protection Guide to Hazardous Materials, 13th ed., 2002; NIOSH ICSC, 2001; CHRIS, 2001) 392 C (739 F) (Lewis, 1997)	
Flash Points	CLOSED CUP: 160°C (320°F). (Chemical Hazard Response Information System, 2001; Lewis, 1997). OPEN CUP: 177°C (350.6°F) (Budavari, 2000; Chemical Response Information System, 2001; NIOSH ICSC, 2001) OPEN CUP: 199 C(390 F) (National Fire Protection Association, Fire Protection Guide to Hazardous Materials, 13 ed., 2002)	
Flammable Limits	LOWER: 0.9%	
Products of Combustion	These products are carbon oxides (CO, CO2), irritating and toxic fumes.	
Fire Hazards in Presence of Various Substances	Slightly flammable to flammable in presence of open flames and sparks, of heat, of oxidizing materials. Non-flammable in presence of shocks.	
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available. Explosive in presence of oxidizing materials.	
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.	
Special Remarks on Fire Hazards	Not available.	
Special Remarks on Explosion Hazards	Glycerin is incompatible with strong oxidizers such as chromium trioxide, potassium chlorate, or potassium permanganate and may explode on contact with these compounds. Explosive glyceryl nitrate is formed from a mixture of glycerin and nitric and sulfuric acids. Perchloric acid, lead oxide + glycerin form perchloric esters which may be explosive. Glycerin and chlorine may explode if heated and confined.	

Glycerin			Page Number: 3
Section 6. Accidental	Release Measures		
Small Spill	Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste dispos container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local ar regional authority requirements.		
Large Spill	Stop leak if without risk. If the product is in its solid form: Use a shovel to put the material into a convenient waste disposal container. If the product is in its liquid form: Do not get water inside container. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.		
Section 7. Handling a	and Storage		
Precautions	ingest. Do not breathe gas/fumes/ vapor/spray.	Wear sui	Ground all equipment containing material. Do not table protective clothing. If ingested, seek medical away from incompatibles such as oxidizing agents.
Storage	Keep container tightly closed. Keep container in a	cool, well-v	entilated area. Hygroscopic
Section 8. Exposure	Controls/Personal Protection		
Engineering Controls			ep the airborne concentrations of vapors below thei stations and safety showers are proximal to the
Personal Protection	Safety glasses. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent Gloves.		
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.		
Exposure Limits	TWA: 10 (mg/m³) from ACGIH (TLV) [United States] [1999] Inhalation Total. TWA: 15 (mg/m³) from OSHA (PEL) [United States] Inhalation Total. TWA: 10 STEL: 20 (mg/m³) [Canada] TWA: 5 (mg/m³) from OSHA (PEL) [United States] Inhalation Respirable.		
	Consult local authorities for acceptable exposure limits.		
Section 9. Physical a	nd Chemical Properties		
Physical state and appearance	Liquid. (Viscous (Syrupy) liquid.)	Odor	Mild
Molecular Weight	92.09 g/mole	Taste	Sweet.
pH (1% soln/water)	Not available.	Color	Clear Colorless.
Boiling Point	290°C (554°F)		
Melting Point	19°C (66.2°F)		
Critical Temperature	Not available.		
Specific Gravity	1.2636 (Water = 1)		
Vapor Pressure	0 kPa (@ 20°C)		
Vapor Density	3.17 (Air = 1)		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	The product is more soluble in water; log(oil/water)	= -1.8	

Continued on Next Page

Not available.

Ionicity (in Water)

Glycerin		Page Number: 4
Dispersion Properties	See solubility in water, acetone.	
Solubility	Miscible in cold water, hot water and alcohol. Partially soluble in acetone. Very slightly soluble in diethyl ether (ethyl ether). Limited solubility in ethyl acetate. Insoluble in carbon tetrachloride, benzene, chloroform, petroleum ethers, and oils	

Section 10. Stability and Reactivity Data		
Stability	The product is stable.	
Instability Temperature	Not available.	
Conditions of Instability	Avoid contact with incompatible materials, excess heat and ignition, sources, moisture.	
Incompatibility with various substances	Highly reactive with oxidizing agents.	
Corrosivity	Non-corrosive in presence of glass.	
Special Remarks on Reactivity	Hygroscopic. Glycerin is incompatible with strong oxidizers such as chromium trioxide, potassium chlorate, or potassium permanganate. Glycerin may react violently with acetic anhydride, aniline and nitrobenzene, chromic oxide, lead oxide and fluorine, phosphorous triiodide, ethylene oxide and heat, silver perchlorate, sodium peroxide, sodium hydride.	
Special Remarks on Corrosivity	Not available.	
Polymerization	Will not occur.	

Section 11. Toxicological Information		
Routes of Entry	Absorbed through skin. Eye contact.	
Toxicity to Animals	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 4090 mg/kg [Mouse]. Acute dermal toxicity (LD50): 10000 mg/kg [Rabbit]. Acute toxicity of the mist (LC50): >570 mg/m³ 1 hours [Rat].	
Chronic Effects on Humans	May cause damage to the following organs: kidneys.	
Other Toxic Effects on Humans	Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.	
Special Remarks on Toxicity to Animals	TDL (rat) - Route: Oral; Dose: 100 mg/kg 1 day prior to mating. TDL (human) - Route: Oral; Dose: 1428 mg/kg	
Special Remarks on Chronic Effects on Humans	Glycerin is transferred across the plancenta in small amounts. May cause adverse reproductive effects based on animal data (Paternal Effects (Rat): Spermatogenesis (including genetic material, sperm morphology, motility, and count), Testes, epididymis, sperm duct). May affect genetic material.	
Special Remarks on other Toxic Effects on Humans	Acute Potential Health Effects: Low hazard for normal industrial handling or normal workplace conditions. Skin: May cause skin irritation. May be absorbed through skin Eyes: May cause eye irritation with stinging, redness, burning sensation, and tearing, but no eye injury. Ingestion: Low hazard. Low toxicity except with very large doses. When large doses are ingested, it can cause gastrointestinal tract irritation with thirst (dehydration), nausea or vomiting diarrhea. It may also affect behavior/central nervous system/nervous system (central nervous system depression, general anesthetic, headache, dizziness, confusion, insomnia, toxic psychosis, muscle weakness, paralysisconvulsions), urinary system/kidneys(renal failure, hemoglobinuria), cardiovascular system (cardiac arrhythmias), liver. It may also cause elevated blood sugar. Inhalation: Due to low vapor pressure, inhalation of the vapors at room temperature is unlikely. Inhalation of mist may cause respiratory tract irritation. Chronic Potential Health Effects: Ingestion: Prolonged or repeated ingestion may affect the blood(hemolysis, changes in white blood cell count), endocrine system (changes in adrenal weight), respiratory system, and may cause kidney injury.	

Page Number: 5

Section 12. Ecological Information		
Ecotoxicity	Ecotoxicity in water (LC50): 58.5 ppm 96 hours [Trout].	
BOD5 and COD	Not available.	
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.	
Toxicity of the Products of Biodegradation	The products of degradation are less toxic than the product itself.	
Special Remarks on the Products of Biodegradation	Not available.	

Section 13. Disposal Considerations

Vaste Disposal Waste must be disposed of in accordance with federal, state and local environmental

control regulations.

Section 14. Transport Information

DOT Classification Not a DOT controlled material (United States).

Identification Not applicable.

Special Provisions for

Transport

Not applicable.

DOT (Pictograms)



Section 15. Other Regulatory Information and Pictograms

Federal and State Illinois toxic substances disclosure to employee act: Glycerin Regulations

Rhode Island RTK hazardous substances: Glycerin

Pennsylvania RTK: Glycerin Minnesota: Glycerin Massachusetts RTK: Glycerin

	Tennessee - Hazardous Right to Know: Glycerin TSCA 8(b) inventory: Glycerin		
California Proposition 65 Warnings	California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: No products were found. California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: No products were found.		
Other Regulations	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.		
Other Classifications	WHMIS (Canada) Not controlled under WHMIS (Canada) DSCL (EEC) Not available	S24/25- Avoid contact with skin and eyes.	
HMIS (U.S.A.)	Health Hazard Fire Hazard Reactivity Personal Protection 1 National Fire Protection Association (U.S.A)	•	

Continued on Next Page

Glycerin		Page Number: 6
WHMIS (Canada) (Pictograms)		
DSCL (Europe) (Pictograms)		
TDG (Canada) (Pictograms)		
ADR (Europe) (Pictograms)		
Protective Equipme	ent	Gloves.
		Lab coat.
		Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.
	∇	Safety glasses.
Section 16. Other	er Information	
MSDS Code	G3260	
	Not available.	
Other Special Considerations	Not available.	

Verified by Sonia Owen. Printed 7/15/2005.

Continued on Next Page

Validated by Sonia Owen on 4/12/2005.

CALL (310) 516-8000

Notice to Reader